

Live performance configuration

 **Gross overall surface area:**
10,500 sqm

Capacity:
13,500 spectators
> Seated/standing: 7,000 to 13,500
> All seated: 5,000 to 8,700



GENERAL DESCRIPTION

LEVEL 0



Outdoor concourse

- > 5,300 sqm including 3,200 fenced off after access control (and 2,100 sqm covered)
- > 18 access tripods including 2 PRM; fitted with turnstiles and digital ticket control system
- > Full-height turnstile (H 3 m)
- > 1 left property office (39 sqm)
- > 1 dispute resolution office (9.5 sqm)
- > 1 ticket office (15 sqm)



Entrance hall

- > 1,500 sqm
- > L 100 x W 22 m
- > Ceiling height 5.7 to 17 m
- > Load-bearing capacity 2 T/sqm
- > 12 staircases with access to fixed stands on level 1
- > 2 PRM-VIP lifts
- > A "Bubble" space: merchandising, left property (on request)
- > 4 food & drink outlets and 1 click-and-collect



East and West walkways

- > 600 sqm x 2
- > Ceiling height 5.70 m
- > Load-bearing capacity 2 T/sqm
- > 2 toilet blocks x 2
- > 2-stream waste bins
- > Water fountains x 2



Hall A1 (or Backstage)

- > 4,800 sqm and an unavailable storage zone (200 sqm)
- > L 100 x W 58 m
- > Ceiling height 12 to 19 m
- > Load-bearing capacity 2 T/sqm
- > 9 entrance doors for trucks
 - 8 doors W 4.30 x H 4.40 m
 - 1 door W 5.15 x H 4.40 m
- > Easy unloading and storage of trailers backstage



Additional spaces

- > 2 fitted sports changing rooms: 69 sqm each
- > 1 drug testing room / Infirmary: 27 sqm



Salle

- > Ceiling height 19 m
- > Load-bearing capacity 2 T/sqm
- > Numbered seats, divider curtains
- > Total capacity, seated / standing:
 - Up to 13,500 people + 56 PRM

- Pit: up to 6,792 pax depending on lower seating stand configuration

- > Capacity, all seated: up to 8,000 seats + 56 PRM

- Seated stalls: 500 to 1,000 seats

LEVEL 0.5



- > 2 fitted changing rooms, 110 and 97 sqm
- > 2 individual changing rooms, 16 and 21 sqm
- > 5 production offices, 14 to 22 sqm and an adjacent 50 sqm room
- > 2 organiser changing rooms, 79 and 90 sqm

LEVEL 1



East and West walkways

- > 600 sqm x 2
- > Ceiling height 3.10 m
- > Load-bearing capacity 2 T/sqm
- > 4 toilet blocks x 2
- > 2-stream waste bins
- > Water fountains x 2



Central walkway

- > 600 sqm
- > Ceiling height 3.10 m
- > Load-bearing capacity 2 T/sqm



Espaces annexes

- > Lounge 1: 98 sqm, ceiling height 7 m, L 16 x W 8 m
- > Lounge 2 or quiet lounge: 119 sqm, ceiling height 7 m, L 16 x W 8 m
- > Lounge 3: 106 sqm, ceiling height 7 m, L 14.5 x W 8 m

LEVEL 2



- > 5 performers' dressing rooms, 29 to 65 sqm
- > 1 warm-up room, 70 sqm, height 2.70 m
- > 1 catering area 264 sqm, access with goods lift, 2 TV screens, fully equipped kitchen (39 sqm)
- > Seated: 150 pax
- > Standing: 200 pax

SERVICES



- > 8 food & drink outlets and 2 Click-and-Collect
- > 12 toilet blocks
- > Water fountains
- > 2 and 3-stream dustbins
- > Caterer facility
- > 3,449 parking spaces including 61 PRM

- > Méditerranée car park: 1,400 spaces
- > Secure technical car park: service courtyard (30 cars and 8 bus spaces with power connections)
- > Bike racks

TECHNICAL RESOURCES



Stage

- > Stacco-EasyStage, 2x2 m wheeled modules
- > Measures 360 to 700 sqm; H 1.2 to 2 m, block structures 2 x 2 m
- > Load-bearing weight: 500 kg/sqm
- > Clearance 23 m (ground to ceiling) and 19 m (ground to catwalk)
- > 4 stage staircases, width 90 cm
- > Handrail
- > 2 unloading ramps L 380 c W 90 cm
- > Black stage apron (30 lm)
- > 50 ml of crush barriers with 9 outer corners and 2 inner corners
- > Divider curtains, stage backdrop curtains, fire curtains



Control desk in pit

- > Control desk podium on request, modules of 2 x 1 m, H 0.25 – 0.8 m
- > No cable ducts on ground, 50 lm of cabling conduits available on request
- > Hall lighting and blackout controls
 - Lighting controls in upper seating stand control room
 - Lighting control extension on control desk in pit
- > Hall fitted with a sound level controller and recorder.

Fixed video

- > 4-face Cluster screen*: 4 screens each 6 x 3.5 m, pitch 3.9, display resolution 1920 x 1080, video signal 1080i, 16/9 format.
- > LED perimeter screens on corner stands: 2 screens each 20 x 0.80m, pitch 20, display resolution 1024 x 40 at 60 Hz (30 images/sec).

Subject to approval of content by SPL Occitanie Events and shared with screening by SPL Occitanie Events. Requests for on-site work or dismantling will be costed in a separate estimate.

LIGHTING (ON QUOTE)

- > Adjustable public fluorescent lighting
- > Lighting for sporting events: Iodide 2000 LUX lamps



- > Spotlights: 9 positions on catwalk, 2 in hall
- > House lighting controls on control desk
- > Stage equipment and lighting on request



Power supply (on quote)

- > On ground from PowerLock Nrg5 connectors
 - Stage right: 600 A lighting, 250A on isolation transformer dedicated to video
 - Stage left: 600A lighting, 250A on isolation transformer dedicated to sound
 - Maximum lighting distribution: 1000A.
- > On catwalk:
 - Hall and backstage lighting and machinery: 12 x 250A power rails (1250A in hall) and 12 x 250A rails (250 A backstage)
 - Sound: 125A distributed across 6 boxes with 32A sockets spread across the grid from the sound isolation transformer.
- > Outside: tour bus power supply in service courtyard (2 x 32A + 2 x 63A). Outdoor backstage 400A.
- > Pre-cabling: CANALIS for high voltage and RJ45 for low voltage



Water supply and drainage (on quote)

- > Available backstage, with water supply and drainage in floor



Stage rigging (on quote)

- > Depending on specifications beneath the grid (subject to validation and installation by SPL Occitanie Events).

Internet (on quote)



- > Wired and Wireless internet



Passerelles techniques

- > 1,000 of elevated catwalks, floor height 19m
- > Access by goods lift (1 2.25 x W 1.04 x H 2.08 ml, max load 1,275 kg.
- > Electrical power capacity 1,250A in plenary hall + 1,250A in exhibition space
- > Suspension on overhead crane (load 2T/point every 2 metres)
- > Catwalk width: 1.2 to 4 m: height of beam 4 m.



Blackout/curtains

- > Possibility of sectioning off stands with curtains depending on position of stage



Modularity of seating stands

- > Stands F, G, H and I are telescopic and can be used folded out with 2, 4 or 5 rows of seats, or fully retracted (design subject to validation by SPL Occitanie Events).

ADDITIONAL SERVICES AVAILABLE FROM THE CATALOGUE

SPL Occitanie Events can support you in your organisation through a range of services available in a catalogue. The project manager for your event is your main point of contact and will coordinate the services you order.


- > Furniture and floral decoration, traditional or digital signage, wired and wireless internet, waste removal and technical services, etc.
- > Hire of modular equipment, including installation and removal.



OCCI'GENE ECO-RESPONSIBILITY POLICY

- > Waste sorting:
 - 2 streams in all areas, 3 in catering (biowaste in addition) and in the 4 sports changing rooms
 - Bottle banks outdoors
- > EcoMégots ashtrays
- > 9 micro-filtered water fountains
- > Solar panels
- > Bike racks
- > Efficient energy use: hall heated to a maximum of 19°C or air-conditioned to a minimum of 26°C or 7°C lower than outdoor temperature

PLAN D'ACCÈS / ACCESS



Flashcode Accès Parking
Flashcode Parking Access



ENTRANCE A - PARC DES EXPOSITIONS

SPL OCCITANIE EVENTS

Sud de France Arena | Parc des Expositions

Route de la Foire • 34470 PÈROLS

T : +33 4 67 17 68 17

www.parc-expo-montpellier.com

Postal address

La Sud de France Arena - CS30090 – 34 973 Pèrols Cedex

Tel : +33 (0)4 67 17 68 17

mail : contactOE@spl-occitanie-events.com

Site Internet : www.suddefrance-arena.com

Delivery address

Route de la Foire 34470 PÈROLS

Portail 3

TÈl : +33 (0)4 67 17 68 17


(GPS : Lat 43.74 ñ Lon 3.947)

Occi'gène eci-responsibility policy

- > Bike racks
- > Tram line 3 towards "Pèrols Étang de l'Or" - PARC EXPO stop
- > Carpooling


LIVE ENTERTAINMENT CONFIGURATION

Seated/standing plan




LIVE ENTERTAINMENT CONFIGURATION

All seated plan



LIVE ENTERTAINMENT CONFIGURATION
Stand capacity - Maximum configuration, all seated



UPPER STAND CAPACITY											
A1	PRM	A2	PRM	A3	PRM	A4	PRM	A5	PRM	TOTAL BLOCKS A	
128	2	280	2	279	2	264	2	216	0	1167	8
B1	PRM	B2	PRM	B3	PRM	B4	PRM	TOTAL BLOCKS B		PRM	
268	2	212	0	236	2	212	0	928	4		
C1	PRM	C2	PRM	C3	PRM	TOTAL BLOCKS C		PRM			
156	2	168	0	156	2	480	4				
D1	PRM	D2	PRM	D3	PRM	D4	PRM	TOTAL BLOCKS D		PRM	
212	0	236	2	212	0	268	2	928	4		
E1	PRM	E2	PRM	E3	PRM	E4	PRM	E5	PRM	TOTAL BLOCKS E	
216	0	264	2	279	2	280	2	128	2	1167	8
GRAND TOTAL, UPPER STAND										4670	28

LOWER STAND CAPACITY, FULLY DEPLOYED											
F1	PRM	F2	PRM	F3	PRM	F4	PRM	F5	PRM	F6	PRM
90	0	157	3	133	3	116	0	173	4	64	0
G1	PRM	G2	PRM	G3	PRM	G4	PRM	G5	PRM	F7	PRM
74	0	146	3	150	2	146	3	74	0	156	2
H1	PRM	H2	PRM	H3	PRM	H4	PRM	H5	PRM	H8	PRM
90	0	157	3	133	3	116	0	173	4	156	2
GRAND TOTAL, LOWER STAND F/G/H										2866	40





STALLS CAPACITY					
J1	PRM	J2	PRM	J3	PRM
106	1	188	2	106	1
K1	PRM	K2	PRM	K3	PRM
106	1	188	2	106	1
L1	PRM	L2	PRM	L3	PRM
106	1	188	2	106	1
GRAND TOTAL, STALLS					1200

I1	PRM	I2	PRM	I3	PRM	I4	PRM	I5	PRM	TOTAL BLOCKS I	
82	0	159	3	202	4	159	3	84	0	686	10
GRAND TOTAL LOWER STAND I										686	10

Modularity of lower stand versions.
Lower stands F/G/H and I: retractable stands that can be fully deployed, have 2, 4 or 5 rows retracted, or fully retracted.
Version feasibility study on request, subject to SPL Occitanie Events approval.

Ancillary spaces

Usable as
production space



Changing rooms / office - level 0

- > 2 team changing rooms (approx. 70 sqm) fully equipped (showers, toilets, lockers, benches)
- > 1 fully equipped 27 sqm office (showers, toilets)
- > Waste sorting:
 - Changing rooms, 3 streams: biowaste, recycling, and other.
 - Entrance hall and offices, 2 streams: recycling and other waste
- > 3 micro-filtered water fountains

Changing rooms / Infirmary - Landing

- > 2 team changing rooms (approx. 97 and 112 sqm) fully equipped (showers, toilets, lockers, benches)
- > 2 individual changing rooms (16 and 21 sqm) fully equipped (showers, toilets, lockers, benches)
- > Waste sorting:
 - Changing rooms, 3 streams: biowaste, recycling, and other.
 - Entrance hall and individual changing rooms, 2 streams: recycling and other waste
- > 1 micro-filtered water fountain


Ancillary spaces

Usable as
production space

Landing (level 0.5)
Offices / Temporary
changing rooms

Offices (landing, level 0.5)

- > 5 production offices, 14 to 22 sqm and a 50 sqm meeting room may be provided on request. They are each fitted with 2 phone lines, IT cabling, tables and chairs.
- > Wi-fi on request.
- > 2-stream waste disposal: recycling and other waste.



Ancillary spaces

Usable as
production space

Niveau 2
Catering / Dressing rooms

Dressing rooms

- > 5 carpeted dressing rooms (2 individual, 3 collective) with chairs, mirrors, sofas (2), toilets, bathrooms.
- > Wi-fi network, telephone, TV network, IT cabling.
- > Utility room (washing machines not included). 4 connections possible
- > Warm-up room (ceiling height 2.50 m)
- > 2-stream waste disposal: recycling and other waste..


Espace Catering

- > Foodservice space: 150 people seated / 200 standing
- > 1 fitted kitchen: cold room, cold food prep, hot food prep, dishwashing, ovens, worktops, no gas, hotplates.
- > Televisions, TV and IT cabling.
- > Electricity: 16A sockets
- > 3 stream waste disposal: biowaste, recycling, and other. Bottle bank outside.



LIVE PERFORMANCE CONFIGURATION

Stage load plan



HALL + CATWALK 6 ZONE
116 T

STAGE ZONE: 70 T

Hall + Catwalk 6 zone: 80 to 116 T
Hall: 10 tonnes per Sxx zone +
Catwalk 6: 16 tonnes

- Max load at any one time: 2T every 2 m
- Per mobile beam: 2T
- Aluminium Catwalk 6 16T: on 16 lifting points, maximum load of 1T/ point
- If video screens are mounted: Zones S41A-S41B-S50A-S50B limited to 5 tonnes
- Technical catwalks: 100 kg/sqm
- Calculations for grid and mobile beams available on request.

8m strip: 30 T

- Possibility of centring on 15 m
- Load on aluminium beams at any one time: calculations and load table available on request
- Purple beams: calculations and load table available on request
- Black beams: 2.500 tonnes every 2 m
- Catwalks: 100 kg/sqm
- Calculations for grid and mobile beams available on request.

Rear expo zone: 40 T

- Zones A, B, C and D can each take 20 tonnes.
- Black beams: 2.500 tonnes every 2 m
- Catwalks: 100 kg/sqm
- Calculations for grid and mobile beams available on request.